

Declaration of Conformity



The undersigned, representing the following:

Manufacturer	
Eternit NV Kuiermansstraat 1 B – 1880 Kapelle-op-den-Bos	
Manufacturing plant :	7000

Following the provisions of the 89/106/EEC Construction Products Directive

herewith declare that the product **HYDROPANEL** to which this declaration relates

is in conformity with the provisions as described in the annex ZA of the following standard(s) :

EN12467:

Fibre-cement flat sheets – Product specification and test methods

Intended use(s) :

- Internal wall and ceiling finishes
- External wall and ceiling finishes

<i>Characteristic</i>	<i>Performance declaration</i>	<i>References</i>
Mechanical resistance	Category B – class 2	BBRI ref DE 65052047/B
Reaction to fire	Class A2 – s1 , d0	WFG ref 12910B
Water permeability	Pass	BBRI ref DE 65052047/B
Dimensional variations	Pass	BBRI ref DE 65052047/B
Release of dangerous substances	Type NT	
Durability against warm water	Pass	BBRI ref DE 65052047/B
Durability against soak / dry	Pass	Idem
Durability against freeze-thaw	Pass	Idem
Durability against heat-rain	Pass	BBRI ref DE 65052047/B

Name and address of notified laboratory involved :

- **Warringtonfiregent (WFG) NV**, Ottergemsesteenweg-Zuid 711, B-9000 Gent
- **BBRI**, Avenue P. Holoffe 21, B-1342 Limelette

For the manufacturer

Name : Verheyen Walter
Position : Factory Manager
Date : 01.12.2007

Ref nr Eternit SP70a – V02